	Туре	L#	Hits	Search Text	DBs	Time Stamp
1	BRS	L1	7210	taking adj3 lens\$2	USPAT; US-PGPUB ; EPO; JPO; DERWENT ;	2004/06 /28
2	BRS	L2	167974	(solid-state near4 image near4 sensor\$2) or ccd or (digital adj2 camera\$2)	IBM_TDB USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2004/06 /28
3	BRS	L3	9449	aperture adj2 stop\$2	USPAT; US-PGPUB ; EPO; JPO; DERWENT ; IBM_TDB	2004/06 /28
4	BRS	L4	3033806	plastic or resin	USPAT; US-PGPUB ; EPO;	2004/06 /28
5	BRS	L5	284827	concave	USPAT; US-PGPUB ; EPO;	2004/06 /28
6	BRS	L6	26	1 and 2 and 3 and 4 and 5	USPAT; US-PGPUB ; EPO;	2004/06 /28
7	BRS	L7	71	menicus	USPAT; US-PGPUB ; EPO; JPO; DERWENT ; IBM_TDB	2004/06 /28
8	BRS	L8	0	6 and 7	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2004/06 /28

	Туре	L#	Hits	Search Text	DBs	Time Stamp
9	BRS	L9	246	359/791,716.ccls.	USPAT; US-PGPUB; ; EPO; JPO; DERWENT; ; IBM_TDB	2004/06 /28

	D cument ID	₹	s u rc e	Issue Date	Pa ge s		Current OR	Current XRef
1	US 6741403 B2	Ø	USPAT	20040 525	15	Hybrid lens system	359/785	359/716; 359/790
2	US 6728047 B2	×	USPAT	20040 427	10	Compact photographing lens	359/786	359/689; 359/716; 359/784
3	US 6490102 B1	\boxtimes	U S P A T	20021 203	11	Hybrid lens system	359/785	359/645; 359/651; 359/661; 359/716; 359/726; 359/742
4	US 6476982 B1	Ø	U S P A T	20021 105	20	Photographing lens system	359/791	
5	US 6441971 B2		U S P A T	20020 827	8	Compact lens with external aperture stop	359/739	359/716; 359/784; 359/793
6	US 5726810 A	×	U S P A T	19980 310	24	Compact zoom lens	359/684	359/689; 359/791
7	US 5715096 A	×	U S P A T	19980 203	27	Zoom lens	359/689	359/714; 359/791
8	US 3998527 A		U S P A T	19761 221	10	Wide-angle photographic lens system with a short overall length	359/716	359/791
9	US 3951523 A	X	U S P A T	19760 420	6	Photographic lens system with a short overall length	359/716	359/784